

SUPPLY, DELIVERY, INSTALLATION AND TESTING OF MINOR BASIC SET SURGICAL INSTRUMENTS (WITH ENGRAVING) AND SIMULATION OPERATING THEATRE FURNITURES FOR SCHOOL OF HEALTH SCIENCES, POLITEKNIK BRUNEI, NEGARA BRUNEI DARUSSALAM.

ITEM ITEM	BANYAK QUANTITY	KETERANGAN DESCRIPTION
1	15	SWAB FORCEPS RAMPLEY
	pcs	<ul style="list-style-type: none"> • Stainless steel • 25cm
2	5	NEEDLE-HOLDER MAYO-HEGAR SERRATED TC
	pcs	<ul style="list-style-type: none"> • Stainless steel • 16cm
3	5	NEEDLE-HOLDER MAYO-HEGAR SERRATED TC
	pcs	<ul style="list-style-type: none"> • Stainless steel • 18cm
4	10	INTESTINAL FORCEPS BABCOCK
	pcs	<ul style="list-style-type: none"> • Stainless steel • 16cm
5	25	TISSUE FORCEPS ALLIS
	pcs	<ul style="list-style-type: none"> • Stainless steel • 5x6 Teeth • 16cm
6	25	HEMO FORCEPS CRILE CURVED
	pcs	<ul style="list-style-type: none"> • Stainless steel • 14 cm
7	25	HEMO FORCEPS CRIVE STRAIGHT
	pcs	<ul style="list-style-type: none"> • Stainless steel • 14 cm
8	25	ARTERY FORCEPS HALSTED MOSQUITO CURVED
	pcs	<ul style="list-style-type: none"> • Stainless steel • 12.5 cm
9	5	DISSECTING SCISSORS METZENBAUM STRAIGHT
	pcs	<ul style="list-style-type: none"> • Stainless steel • 15 cm
10	5	DISSECTING SCISSORS METZENBAUM CURVED
	pcs	<ul style="list-style-type: none"> • Stainless steel • 15 cm
11	5	FORCEPS DRESSING
	pcs	<ul style="list-style-type: none"> • Stainless steel • 16 cm

12	5	FORCEPS TISSUE
	pcs	<ul style="list-style-type: none"> • Stainless steel • 1X2 teeth • 16 cm
13	5	ADSON FORCEPS STANDARD
	pcs	<ul style="list-style-type: none"> • Stainless steel • 1X2 teeth • 12 cm
14	5	DISSECTING FORCEPS MCINDOE
	pcs	<ul style="list-style-type: none"> • Stainless steel • 15 cm
15	10	RETRACTOR D/E, SENN-MILLER 3Y POINTED
	pcs	<ul style="list-style-type: none"> • Stainless steel • 17 cm
16	10	RETRACTOR KOCHER LANGENBACK 40 X 12 MM
	pcs	<ul style="list-style-type: none"> • Stainless steel • 17 cm
17	10	GILLIES HOOK DELICATE
	pcs	<ul style="list-style-type: none"> • Stainless steel • Size 1 • 18 cm
18	5	ASPIRATION TUBE 30FR
	pcs	<ul style="list-style-type: none"> • Stainless steel • Poole Diameter 10mm
19	5	SCALPEL HANDLE
	pcs	<ul style="list-style-type: none"> • Stainless steel • No. 4
20	5	SCALPEL HANDLE
	pcs	<ul style="list-style-type: none"> • Stainless steel • No. 3
21	10	KIDNEY DISH 8"
	pcs	<ul style="list-style-type: none"> • Stainless steel • Size: Approx. 208 X 96 X 40mm
22	10	KIDNEY DISH 10"
	pcs	<ul style="list-style-type: none"> • Stainless steel • Size: Approx. 255 X 115 X 45mm
23	5	TOWEL FORCEPS BACKHAUS
	pcs	<ul style="list-style-type: none"> • Stainless steel • 11cm
24	5	3/4 SIZE BOTTOM STANDARD GREY
	pcs	<ul style="list-style-type: none"> • Stainless steel • Size: Approx. 465 X 272 X 138mm
25	5	3/4 SIZE LID PERFORATED STANDARD GREY
	pcs	<ul style="list-style-type: none"> • Stainless steel • Size: Approx. 460 X 285mm

26	5	PERFORATED STAINLESS STEEL BASKET
	pcs	<ul style="list-style-type: none"> • Stainless steel • Size: Approx. 405 X 253 X 110 mm
27	5	DISSECTING SCISSORS MAYO STRAIGHT TC
	pcs	<ul style="list-style-type: none"> • Stainless steel • 17 cm
28	5	GENERAL BUNDLES
	sets	consists of: <ul style="list-style-type: none"> • 1 pc Wrapper Sheet, size approx. 110cm x 110cm • 1 pc Mayo Sheet, size approx. 120cm x 55cm • 6 pcs Dressing Towel, size approx. 110cm x 110cm • 1 pc Top Sheet, size approx. 240cm x 180cm • 1 pc Bottom Sheet, size approx. 210cm x 150cm • 2 pcs Trolley Cover, size approx. 170cm x 135cm
29	2	PORTABLE/MOBILE OT LIGHT
	Units	<ul style="list-style-type: none"> • Gesture-controlled brightness adjustment • User-friendly adjust brightness button • Mobile and offers easy maneuverability • Designed for enhanced surgical assistance • Multi segmented arms for flexible adjustments at various angles • Equipped with a master switch and brightness adjustment button • Mobile base allows easy movement and positioning of the light • Power: 30W • Luminance (LUX) : Approx. 100000Lux • Spot diameter : Approx. 130mm • Color temperature(K): Approx. 4000-5000 • LED life: Approx. 50000Hrs
30	3	BASIN AND SOLUTION STAND
	units	<ul style="list-style-type: none"> • Frames are made of stainless steel • Anti-rust and anti-corrosion easy to disinfect • Size: Approx. ϕ360 x 760-1260mm • Bowl diameter: Approx. ϕ360 • Castor diameter: Approx. 50mm
31	3	MAYO TROLLEY
	units	<ul style="list-style-type: none"> • Made of stainless steel • Safety folds to all edges • With one tray for carrying instruments • Tray size: Approx. 60cm x 40cm x 3cm • Adjustable height with knob adjustment • Pallet rack adjustable height: approx. 70-120cm • Stable base with castor (with locking system) • Castor diameter approx. 75mm
32	1	OT/SURGICAL TABLE
	unit	<ul style="list-style-type: none"> • Durable heavy duty structure made of Stainless steel • Countertop made of high-strength melamine resin sheet • Mattress is made of memory foam • Leg plate can be removed, manually rotated abduction, folded down • Easy to operate and reliable handheld remote control • Gas spring for adjusting movements of headrest section • Independent motors for movement of hi-lo, back section, lateral tilting function, trendelenburg/reverse trendelenburg, horizontal/longitudinal movement (for C-arm examination), Leg section, Auto contour of operating table. • Castors with locking system • PU shaped mattress easy to remove and clean • AISI 304 stainless steel structure and chassis

		<ul style="list-style-type: none"> • Overall size: approx. 2010 x 500 x 700-1000mm • Back section up/down: 75°/10° • Head section up/down: 50°/90° • Leg section down: 90° • Reverse trendelenburg: 25° • Trendelenburg: 25° • Lateral tilt left/right 20° • Slide motion: 350mm • Kidney elevator mechanism: Approx. 110/120mm • Load capacity: ±250Kg
33	1	PATIENT RESUSCITATION HYDRAULIC STRETCHER/
	unit	TRANSFER TROLLEY
		Features:
		<ul style="list-style-type: none"> • Operation pedals are accessible from both sides • Full length x-ray translucent platform • Curved shaped railing to minimize width during transportation • Ergonomic handle located at the head end, and foldable • Central brake system with 5th direction wheel • The security lock with widened hook is resistant to pulling for safety protection • Two column structure is durable and accessible for C-arm examination • The base cover is practical for oxygen cylinder storage • 4 Castor wheels with approximate diameter 200mm
		Technical parameters:
		<ul style="list-style-type: none"> • Overall dimension: approx. 2130 x 810 x 590-910mm • Back section adjustment: approx. 0-80° • Foot section adjustment: approx. 0-35° • Height adjustment: approx. 590-910mm • Trendelenburg: approx. 0-15° • Reverse Trendelenburg: approx. 0-15° • Loading capacity: ±250Kg
		<p>Note: Minor differences in measurement can be considered.</p>

Perhatian:

Jika anda berminat untuk mengemukakan tawaran, anda dikehendaki membuat pembayaran sebanyak BND\$5.00 ke Bahagian Kewangan Politeknik Brunei di tingkat 12.

Anda juga dikehendaki mengisi **BORANG PENYERTAAN** dalam talian di <https://bit.ly/3Hp2RLt> dan memuatnaik **resit pembayaran** ke dalam borang tersebut. Borang Sebutharga (RFQ) dan dokumen yang berkaitan akan dihantar melalui emel.

Jika anda memerlukan maklumat lanjut, sila hubungi zuraidah.matusin@pb.edu.bn atau ditalian no. telefon +673-8871251.

Terima kasih di atas penyertaan anda.

Note:

If you are interested in submitting an offer, you are required to make a payment of BND\$5.00 to Finance Division on the 12th floor, Politeknik Brunei.

You are also required to fill in the online PARTICIPATION FORM at <https://bit.ly/3Hp2RLt> and upload the payment receipt into the form. Quotation Form (RFQ) and related documents will be sent via email.

If you require further information, please do not hesitate to email zuraidah.matusin@pb.edu.bn or contact no +673-8871251.

Thank you and looking forward to your participation.